

- (1) The region of feasible solution in LPP graphical method is called ____.
- (a) Infeasible region
 - (b) Unbounded region
 - (c) Infinite region
 - (d) Feasible region
- (2) When it is not possible to find solution in LPP, it is called as case of _____.
- (a) Unknown solution
 - (b) Unbounded solution
 - (c) Infeasible solution
 - (d) Improper solution
- (3) When the feasible region is such that the value of objective function can extend to infinity, it is called a case of _____.
- (a) Infeasible solution
 - (b) Alternate optimal
 - (c) Unbounded solution
 - (d) Unique solution
- (4) When the constraints are a mix of 'less than' and 'greater than' it is a problem having _____.
- (a) Multiple constraints
 - (b) Infinite constraints
 - (c) Infeasible constraints
 - (d) Mixed constraints
- (5) In case of an ' _____ ' constraint, the feasible region is a straight line.
- (a) less than or equal to
 - (b) greater than or equal to
 - (c) mixed
 - (d) equal to
- (6) In linear programming, unbounded solution means _____. (April 19)
- (a) Infeasible solution
 - (b) Degenerate solution
 - (c) Infinite solutions
 - (d) Unique solution

[Ans.: (1 - Feasible region); (2 - Infeasible solution); (3 - Unbounded solution); (4 - Mixed constraints); (5 - equal to); (6 - Infinite solutions)]

- (1) The incoming variable column in the simplex algorithm is called _____.
- (a) key column
 - (b) incoming column
 - (c) variable column
 - (d) important column
- (2) The outgoing variable row in the simplex algorithm is called _____.
- (a) outgoing row
 - (b) key row
interchanging row
 - (c) basic row
- (3) The intersection value of key column and key row is called _____.
- (a) vital element
 - (b) important element
 - (c) key element
 - (d) basic element
- (4) The variable added to the LHS of a less than or equal to constraint to convert it into equality is called _____.
- (a) surplus variable
 - (b) artificial variable
 - (c) slack variable
 - (d) additional variable
- (5) A resource which is completely utilized is called _____ in simplex.
- (a) null resource
 - (b) scarce resource
 - (c) zero resource
 - (d) abundant resource
- (6) A resource which is partially utilized is called _____ in simplex.
- (a) surplus resource
 - (b) extra resource
 - (c) available resource
 - (d) abundant resource
- (7) The value of one extra unit of resource is called _____ in simplex.
- (a) unit price
 - (b) extra price
 - (c) retail price

- (d) shadow price
- (8) In simplex, a maximization problem is optimal when all Delta J, i.e. $C_j - Z_j$ values are_____.
- (a) Either zero or positive
- (b) Either zero or negative
- (c) Only positive
- (d) Only negative

[Ans.: (1 - key column); (2 - key row); (3 - key element); (4 - slack variable); (5 - scarce resource); (6 - abundant resource); (7 - Shadow price); (8 - Either zero or negative)]

- (1) To find initial feasible solution of a transportation problem the method which starts allocation from the lowest cost is called_____method.
- (a) north west corner
- (b) least cost
- (c) south east corner
- (d) Vogel's approximation
- (2) In a transportation problem, the method of penalties is called _____ method.
- (a) least cost
- (b) south east corner
- (c) Vogel's approximation
- (d) north west corner
- (3) When the total of allocations of a transportation problem match with supply and demand values, the solution is called_____solution.
- (a) non-degenerate
- (b) degenerate
- (c) feasible
- (d) infeasible
- (4) When the allocations of a transportation problem satisfy the rim condition $(m + n - 1)$ the solution is called_____solution.
- (a) degenerate
- (b) infeasible
- (c) unbounded
- (d) non-degenerate
- (5) When there is a degeneracy in the transportation problem, we add an imaginary allocation called_____in the solution.
- (a) dummy

- (b) penalty
 - (c) epsilon
 - (d) regret
- (6) If $M + N - 1 =$ Number of allocations in transportation, it means _____.
(Where 'M' is number of rows and 'N' is number of columns)
- (a) There is no degeneracy
 - (b) Problem is unbalanced
 - (c) Problem is degenerate
 - (d) Solution is optimal
- (7) Which of the following considers difference between two least costs for each row and column while finding initial basic feasible solution in transportation?
- (a) North west corner rule
 - (b) Least cost method
 - (c) Vogel's approximation method
 - (d) Row minima method
- [Ans.: (1 - least cost); (2 - Vogel's approximation); (3 - feasible); (4 - non-degenerate); (5 - epsilon); (6 - There is no degeneracy); (7 - Vogel's approximation method)]*

- (1) If the number of rows and columns in an assignment problem are not equal than it is called _____ problem.
- (a) prohibited
 - (b) infeasible
 - (c) unbounded
 - (d) unbalanced
- (2) The method of solution of assignment problems is called _____ method.
- (a) NWCR
 - (b) VAM
 - (c) LCM
 - (d) Hungarian
- (3) When a maximization assignment problem is converted in minimization problem, the resulting matrix is called _____.
- (a) Cost matrix
 - (b) Profit matrix
 - (c) Regret matrix
 - (d) Dummy matrix

- (4) The extra row or column which is added to balance an assignment problem is called_____.
- (a) regret
 - (b) epsilon
 - (c) dummy
 - (d) extra
- (5) When a particular assignment in the given problem is not possible or restricted as a condition, it is called a_____problem.
- (a) infeasible
 - (b) degenerate
 - (c) unbalanced
 - (d) prohibited
- (6) If in an assignment problem, number of rows is not equal to number of columns then_____.
- (a) Problem is degenerate
 - (b) Problem is unbalanced
 - (c) It is a maximization problem
 - (d) Optimal solution is not possible

[Ans.: (1 - unbalanced); (2 - Hungarian); (3 - Regret matrix); (4 - Dummy); (5 - Prohibited); (6 - Problem is unbalanced)]

- (1) The longest path in the network diagram is called_____path.
- (a) best
 - (b) worst
 - (c) sub-critical
 - (d) critical
- (2) The second longest path in the network diagram is called_____path.
- (a) alternate
 - (b) feasible
 - (c) sub-critical
 - (d) critical
- (3) Forward pass calculations are done to find_____occurrence times of events.
- (a) exact
 - (b) earliest
 - (c) latest
 - (d) approximate

- (4) Backward pass calculations are done to find _____ occurrence times of events.
- (a) tentative
 - (b) definite
 - (c) latest
 - (d) earliest
- (5) An activity whose start or end cannot be delayed without affecting total project completion time is called _____ activity.
- (a) dummy
 - (b) non-critical
 - (c) critical
 - (d) important
- (6) Floats for critical activities will be always _____. (*April 19*)
- (a) one
 - (b) zero
 - (c) highest
 - (d) same as duration of the activity
- [Ans.: (1 - Critical); (2 - Sub-critical); (3 - earliest); (4 - latest); (5 - critical); (6 - Zero)]

- (1) The two types of costs involved in project crashing are _____ and _____ costs.
- (a) direct and indirect
 - (b) total and partial
 - (c) visible and invisible
 - (d) measurable and non-measurable
- (2) In project crashing, rent and overheads are treated as _____ costs.
- (a) significant
 - (b) insignificant
 - (c) direct
 - (d) indirect
- (3) In project crashing, the costs associated with actual activities (e.g. manpower, materials, machinery etc.) are called _____ costs.
- (a) visible
 - (b) measurable
 - (c) direct
 - (d) indirect

- (4) In project crashing, as we systematically crash the project, direct cost of project _____ and indirect cost of project _____.
- (a) increases - decreases
 - (b) decreases - increases
 - (c) increases - remains same
 - (d) remain same - decreases
- (5) In project crashing, as we systematically crash the project, total project cost initially _____ and after the optimal point, it _____.
- (a) increases - decreases
 - (b) decreases - increases
 - (c) remains same - decreases
 - (d) decreases - remains same

[Ans.: (1 - direct, indirect); (2 - indirect); (3 - direct); (4 - increases, decreases); (5 - decreases, increases)]

- (1) The shortest possible completion time of an activity in PERT is called _____ time.
- (a) pessimistic
 - (b) optimistic
 - (c) most likely
 - (d) expected
- (2) The longest possible completion time of an activity in PERT is called _____ time.
- (a) expected
 - (b) most likely
 - (c) pessimistic
 - (d) optimistic
- (3) In PERT, the time estimate calculated by using formula $\left[\frac{a + 4m + b}{6} \right]$ is called _____ time.
- (a) optimistic
 - (b) pessimistic
 - (c) most likely
 - (d) expected
- (4) In PERT, the expected project completion time is also called as _____ project completion time.
- (a) average
 - (b) normal

- (c) mean
(d) critical
- (5) Fill in the blanks with ' $<$ ' or ' $>$ ' sign as applicable a m b
- (a) $<$, $>$
(b) $>$, $<$
(c) $>$, $>$
(d) $<$, $<$
- (6) The maximum time in which an activity will be completed assuming all possible delays and postponements is termed as _____.
- (a) optimistic time
(b) most likely time
(c) pessimistic time
(d) expected time
- [Ans.: (1 - optimistic); (2 - pessimistic); (3 - expected); (4 - mean); (5 - $<$, $<$); (6 - pessimistic time)]

- (1) The time required by each job on each machine is called _____ time.
- (a) elapsed
(b) idle
(c) processing
(d) average
- (2) The order in which machines are required for completing the jobs is called _____.
- (a) machines order
(b) working order
(c) processing order
(d) job order
- (3) The time between the starting of the first job and completion of the last job in sequencing problems is called _____.
- (a) total time
(b) assignment time
(c) elapsed time
(d) idle time
- (4) The time during which a machine remains waiting or vacant in sequencing problem is called _____ time.
- (a) processing
(b) waiting

- (c) idle
 - (d) free
 - (5) In sequencing problem, the order of completion of jobs is called _____.
 - (a) completion sequence
 - (b) job sequence
 - (c) processing order
 - (d) job order
 - (6) The total time required to complete all the jobs in a job sequencing problem is known as _____.
 - (a) idle time
 - (b) processing time
 - (c) elapsed time
 - (d) processing order
- [Ans.: (1 - processing); (2 - processing order); (3 - elapsed time); (4 - idle); (5 - job sequence); (6 - elapsed time)]*

- (1) The participants in a game are called _____.
 - (a) clients
 - (b) members
 - (c) customers
 - (d) players
- (2) A game having more than two players is called _____ game.
 - (a) multi-person
 - (b) many person
 - (c) n-person
 - (d) unknown person
- (3) The outcome of the interaction of selected strategies of opponents in a game is called _____.
 - (a) income
 - (b) profit
 - (c) payoff
 - (d) gains
- (4) In a game, the alternatives or courses of action available to each player are called _____.
 - (a) options
 - (b) choices

- (c) actions
(d) strategies
- (5) A situation in a game where, in the payoff matrix, maximin of row is equal to minimax of column is called _____.
- (a) centre point
(b) main point
(c) saddle point
(d) equal point
- (6) The various alternatives or courses of actions available to each player in a game are called as _____.
- (a) saddle points
(b) strategies
(c) pay-off
(d) 'n' player game
- [Ans.: (1 - players); (2 - n-person); (3 - payoff); (4 - strategies); (5 - saddle point); (6 - strategies)]*
- (1) Operations Research Models in which values of all variables and all possible outcomes are known with certainty are called _____ models.
- (a) Physical
(b) Symbolic
(c) Deterministic
(d) Probabilistic
- (2) Operations Research Models in which some or all variables are random in nature are called _____ models.
- (a) Physical
(b) Symbolic
(c) Deterministic
(d) Probabilistic
- (3) Mean, median and mode are measures of _____.
- (a) Central tendency
(b) Dispersion
(c) Probability
- (4) _____ and _____ are techniques applied in project management.
- (a) CPM and PERT
(b) Assignment and Transportation
(c) Decision theory and Inventory models
- (5) Operations Research techniques are _____ in nature.
- (a) Qualitative
(b) Judgemental
(c) Approximate

D)Quantitative

[Ans.: (1 - Deterministic); (2 - Probabilistic); (3 - Central tendency);
(4 - CPM, PERT); (5 - Quantitative)]